

April 24, 1967

Mr. T. Nelson Box 1546 Poughkeepsie, New York 12603

Dear Sir:

Thank you for your interest in Tymshare. Please find enclosed literature and price schedules for our portable terminal equipment and computer time-sharing service.

In order to use the Audio Magnetic Data Transceiver with a Model 33 or 35 teletype as a remote portable computer terminal, the Electronic Interface Adapter is required to interface the transceiver and teletype. The adapter has been designed so it can be easily installed in the teletype and installation instructions are provided with the equipment.


Present shipping schedules for the Transceiver and Adapter are approximately 2 weeks from receipt of your order. We are currently out of stock of teletypes; however they may be purchased from Teletype Corporation in Skokie, Illinois.

Thank you again for your inquiry. If you would like additional information, please don't hesitate to contact me.

Sincerely,


John K. Jerrehian Sales Manager

pjd Encl.









The Audio Magnetic Data Transceiver provides the capability to operate a Model 33 or 35 teletype (or similar device) as a portable remote computer terminal. The terminal may be used to communicate with a computer connected to a Model 103AII dataset from any location where a standard telephone is available. By simply dialing the number of the computer from the telephone and placing the telephone handset on the Audio Magnetic Data Transceiver, information can be transmitted to and from the terminal device and computer over standard telephone lines.

Features:

- Acoustic send—magnetic receive* eliminates interference from local room noise
- Operates either half or full duplex
- Small compact design
- Operates with Model 33 or 35 teletype
- A-C power outlet for teletype
- High reliability–100% solid state design incorporating silicon components

Specifications:

opeomodione:	
Height	4 inches
Width	4 inches
Length	9 inches
Weight 4 pounds	, 5 ounces
Electrical requirement 115 volts	, 60 cycles
Transmission rate 165 baud	maximum
Frequencies Send	Receive
mark 1270	2225
space 1070	2025

*Acoustic receive also available



745 Distel Drive

Los Altos, California 94022

Phone (415) 961-0545

2930 West Imperial Highway • Inglewood, California 90303 • Phone (213) 757-0261



TERMINAL EQUIPMENT PRICE SCHEDULE

Purchase Plan

Audio Magnetic Dat a Transceiver	\$	475.00
Electronic Interface Adapter		95.00
Teletype KSR Model 33		775.00
Teletype ASR Model 33		975.00
Teletype ASR Model 33 with program paper		
tape control	1	,075.00


These prices include a warranty on all parts for a period of 90 days after installation. Maintenance of the equipment is the responsibility of the customer. All supplies such as paper and paper tape for the teletype are the responsibility of the customer. These prices do not include Federal, state or local taxes applicable to the sale of this equipment.

Lease Plan*

	Installation	Rate/Mo.
Audio Magnetic Data Transceiver	\$40	\$40
Electronic Interface Adapter	N/C	8
Teletype KSR Model 33	60	60
Teletype ASR Model 33	60	75
Teletype ASR Model 33 with program		
paper tape control	60	85

*available only in local Tymshare office locations.

These prices include delivery and maintenance of the equipment. The minimum lease period is 30 days. All supplies such as paper and paper tape for the teletype are the responsibility of the customer. These prices do not include applicable Federal, state or local taxes.









The Audio Magnetic Data Transceiver provides the capability to operate a Model 33 or 35 teletype (or similar device) as a portable remote computer terminal. The terminal may be used to communicate with a computer connected to a Model 103AII dataset from any location where a standard telephone is available. By simply dialing the number of the computer from the telephone and placing the telephone handset on the Audio Magnetic Data Transceiver, information can be transmitted to and from the terminal device and computer over standard telephone lines.

Features:

- Acoustic send—magnetic receive* eliminates interference from local room noise
- Operates either half or full duplex
- Small compact design
- Operates with Model 33 or 35 teletype
- A-C power outlet for teletype
- High reliability–100% solid state design incorporating silicon components

Specifications:

Height			4 inches
Width			4 inches
Length			9 inches
Weight	4 po	unds,	5 ounces
Electrical requirement	115	volts,	60 cycles
Transmission rate	165	baud	maximum
Frequencies		Send	Receive
m	ark	1270	2225
sn:	ace	1070	2025

*Acoustic receive also available



TYMSHARE INC.

745 Distel Drive

Los Altos, California 94022

Phone (415) 961-0545

2930 West Imperial Highway • Inglewood, California 90303 • Phone (213) 757-0261



TERMINAL EQUIPMENT PRICE SCHEDULE

Purchase Plan

Audio Magnetic Dat a Transceiver	\$	475.00
Electronic Interface Adapter		95.00
Teletype KSR Model 33		775.00
Teletype ASR Model 33		975.00
Teletype ASR Model 33 with program paper		
tape control	1	,075.00

These prices include a warranty on all parts for a period of 90 days after installation. Maintenance of the equipment is the responsibility of the customer. All supplies such as paper and paper tape for the teletype are the responsibility of the customer. These prices do not include Federal, state or local taxes applicable to the sale of this equipment.

Lease Plan*

	Installation	Rate/Mo.
Audio Magnetic Data Transceiver	\$40	\$40
Electronic Interface Adapter	N/C	8
Teletype KSR Model 33	60	60
Teletype ASR Model 33	60	75
Teletype ASR Model 33 with program		
paper tape control	60	85

*available only in local Tymshare office locations.

These prices include delivery and maintenance of the equipment. The minimum lease period is 30 days. All supplies such as paper and paper tape for the teletype are the responsibility of the customer. These prices do not include applicable Federal, state or local taxes.